

CERTIFICATE OF ANALYSIS

Product Information


| | |
|--------------------|---|
| Product Name: | dGTP (100 mM) \geq 99% HPLC |
| Cat. No.: | C01578 |
| Lot No.: | C51011704 |
| CAS No.: | 93919-41-6 |
| MW: | 573.10 |
| Size: | 10ml |
| Molecular Formula: | $C_{10}H_{13}N_5Na_3O_{13}P_3$ |
| Storage Condition: | Store at $-20^{\circ}C$ to $-70^{\circ}C$ |

Quality Control

| Test Items | Specifications | Results |
|------------------------------|------------------------|-----------|
| Physical Appearance | Clear Colorless liquid | Conformed |
| Concentration | $100mM \pm 5\%$ | 101mM |
| Purity(HPLC) | $\geq 99\%$ | 99.5% |
| λ max | $253nm \pm 2nm$ | 253nm |
| Absorbance Ratios (pH7.0) | A250/A260 1.11-1.19 | 1.15 |
| pH(22~25°C) | A280/A260 0.63-0.69 | 0.67 |
| | 7.0 ± 0.1 | 7.1 |

Caution:

For laboratory use only. Not for household use. If you have any questions about the Certificate of Analysis, please contact our customer service representative at 1-877-436-7274 (Toll-Free), or 1-732-885-9188.

Certified by: 
Product Department

Date: 04/12/2017