

CERTIFICATE OF ANALYSIS

Product Information

Product Name CHO-K1/human ITGAE

Cat. No. M00592
Lot No. R10051809-3
Host Cell: CHO-K1

Target Gene: human ITGAE

Quantity: 2 vials of frozen cells, > 1x10⁶ cells/vial

Shipping Condition: Dry Ice

Recommended
Storage Condition:

Liquid Nitrogen

Stable Cell Line Information

Recommended Cell Culture Medium: F-12K (Gibco, cat#21127-022), 10% FBS (Gibco, cat#10099-141), and 8

μg/ml puromycin* (Gibco, cat#A1113803)

Freeze Medium: 95% complete growth medium, 5% DMSO

Application: FACS analysis for human ITGAE or used a immunogen


Test Item	Specification	Result
Mycoplasma	Not detected*	Not detected*
Cell viability	>90%	95%
Flow Cytometry	>90%	99.1%

^{*} The mycoplasma test was performed with MycoAlert™ PLUS Mycoplasma Detection Kit of Lonza.



Appendix

1. Validation with Flow Cytometry



 $\textbf{Figure 1.} \ FACS \ analysis \ of \ human \ ITGAE \ on \ CHO\text{-}K1/\ human \ ITGAE$

Caution

For research use only. Not intended for household use. If you have any questions about the Certificate of Analysis, please contact our customer service representative at 1-877-436-7274 (Toll-Free), or 1-732-885-9188.

Certified by: Van Date: 10/17/2018

Department of New Technology